

Canon

imagePROGRAF®
iPF710/610

iPF710/610

GENERAL USE/TECHNICAL DOCUMENTS
LARGE-FORMAT PRINTING



Introducing the imagePROGRAF iPF710 and iPF610 printers

Technology that works harder
so you can work smarter



Introducing the newest additions to Canon's world renown line of imagePROGRAF large-format printing solutions—the 36"(914mm) -wide iPF710 and the 24" (610mm) -wide iPF610 printers.

These easy-to-use print systems deliver high-quality output with precision, speed, and hassle-free maintenance. Specifically designed for general office printing and technical document applications, these printers enable users to produce a diverse range of output from spectacular full-color posters to complex technical documents—faster and easier than ever before.

Canon imagePROGRAF iPF710 and iPF610 large-format printers are ideal for:

GENERAL USE

Large-format color output of presentations, signs, posters, displays, and other oversize prints, along with everyday, general color business documents—all in bold, expressive color.

TECHNICAL DOCUMENTS

Fast and accurate printing of Computer-Aided Design (CAD) drawings, architectural elevations, Geographic Information Systems (GIS) maps, marketing planograms, and other intricate documents requiring fine sharp lines, smooth curves, crisp text, fade/scratch resistance, and incomparable detail.



Created in PosterArtist 2007

iPF710/610

FEATURES



These easy-to-use printers are powered by advanced Canon technologies, seamlessly integrated into a comprehensive large-format printing solution.

HIGH-QUALITY PRINTING

- High-resolution output up to 2400 x 1200 dpi
- Fine lines with a precise 4-picoliter ink droplet
- Unique 5-color dye/pigment Reactive Ink technology optimizes imaging
- Colorfast dye-based inks for bold expressive color
- Pigment Matte Black ink for durable line drawings and text

MAXIMUM PRODUCTIVITY


- High-speed output on a wide variety of media types
- Long-life, super-high-density print-head with 15,360 nozzles
- Canon's advanced L-COA high-speed processor optimizes performance




5-color Reactive Ink technology

VERSATILITY

- One printer handles detailed technical documents and full-color graphics.
- Direct printing support for HP-GL/2 and HP RTL documents
- The HDI Driver enables direct printing from AutoCAD®.
- Point-and-click software solutions from Canon make printing your own posters, presentations, and signs easy.



High-density print-head



L-COA Image Processor

EASY TO USE

- Quiet operation for a more comfortable working environment
- Convenient media feed options for everyday use
- Large LCD panel provides better visibility and more information
- Easy access to user manuals, product information, and software applications

Printing made simple—so you can get the results you want

CANON'S 5-COLOR DYE/PIGMENT REACTIVE INK TECHNOLOGY

From technical applications to general office use, Canon's 5-color dye/pigment Reactive Ink technology delivers precise lines, smooth curves, and excellent graphic images. Four colorfast dye-based inks (Cyan, Magenta, Yellow, and Black) ensure bold expressive color output, while two channels of pigment-based Matte Black ink enhance the quality of line drawings and text-oriented office documents even on uncoated papers. Canon's advanced Reactive Ink technology helps prevent colors and text from bleeding and improves adhesion for more durable output. All inks are loaded at the same time with automatic switching of the black inks for best results on the media being used.

A PRIORITY ON PRECISION

Precision counts in every business and is especially important for technical document applications like GIS mapping, CAD designs, and architectural drawings. Canon's large-format printing systems make precision a priority. The embedded L-COA processor is

the system's "brain" that handles complex data and drives the super-high-density print-head to lay ink down with precision.

FAST, HIGH-QUALITY, HIGH-RESOLUTION OUTPUT

A large 1.07" (27mm) super-high-density print-head deposits tiny droplets of ink (4pl) through 15,360 nozzles to produce high-resolution output up to 2400 x 1200 dpi. More nozzles means that ink is ejected more efficiently with each pass of the print-head. This reduces the number of passes required to produce a high-quality image and increases throughput speed in all print modes.

MANAGE MEDIA EASILY

A variety of new enhancements make the iPF710/610 easy to use. A media detection and management system helps conserve precious time and materials by warning the user if there's not enough media to complete a job. And a new, automatic media-switching feature on the iPF610 enables media selection within the printer driver, eliminating the need to walk to the printer to make a change.



Software and workflow solutions to help you do more

The iPF710 and iPF610 printers are complete large-format printing solutions designed to help all levels of users do more—better, faster, and more efficiently.

Canon Printer Driver 2007* for Windows® and Macintosh® systems provides intuitive operation with Easy and Advanced settings.

Digital Photo Front-Access*** software provides a utility to import, edit, and print photos easily for large-format output.

The HDI Driver** lets you print directly from AutoCAD/AutoCAD LT.

PosterArtist 2007,*** is an optional software for PCs that makes it easy to create full-color large-format posters, signage, and banners. Upload your own images or tap into more than a 1GB of customizable templates, royalty-free images, and clip art. The new Auto Design function now makes it even easier—just specify your layout elements and the software will automatically generate draft designs for you!



PRINT WHAT YOU WANT—HOW YOU WANT IT

Office documents come in all sizes and formats—from photos, graphics, and charts to Microsoft® files. The iPF710/610 printers can help you compose, edit, and enlarge these documents—whether you have the application file or just a printed original. The Free Layout feature (PC) and Auto Layout (Mac) enable digital documents of different file formats to be composed onto a single page and printed together. Or you can enlarge documents directly from a printed original by integrating with a Canon imageRUNNER® device with Universal Send, to create a seamless scan-to-print workflow.

INFORMATION AT YOUR FINGERTIPS

Web Link puts the information that you need right at your fingertips. With this feature you just point-and-click to access media information, product manuals, and external Web sites with the latest product information.

OFFICE COMPATIBLE AND READY TO WORK!

With low power consumption, easy media feed options, and quiet operation, these network ready printers are an out-of-the-box large-format printing solution designed to fit comfortably into virtually any office environment.

* Operating Systems: Windows® 98SE/Me/2000/XP/2003 Server, Windows Vista®, Macintosh® OS 9.1/X/10.2/10.3/10.4 (Power PC or Intel®)

** For AutoCAD or AutoCAD LT 2000, 2000i, 2002, 2003, 2004, 2005, 2006, 2007

*** PC only. Windows 2000/XP/Windows Vista

iPF710/610

YOU CAN DO IT WITH imagePROGRAF

With every imagePROGRAF solution, Canon provides the tools and technologies you need to create, process, and print full-color, large-format graphics. The iPF710/610 printers' advanced printing technologies, user-friendly features, and easy maintenance make them ideal for projects such as:

Posters, Presentations, and Signs: Print what you need, when you need it, in bold, expressive color.

CAD: Intricate 3-D renderings, multi-layer circuit boards, exploded-view diagrams of mechanical systems, parts diagrams, manufacturing plans, product and architectural renderings

GIS: Emergency response planning, color-enhanced satellite imagery with topographic overlays, land-use mapping, demographic and geographic data overlaying

Floor plans and planograms: Layouts for retail traffic flow, shelf division, planning for promotional displays, floor space optimization

And much more: From everyday office documents to oversize graphics and technical documents, you can print it bigger and better with an imagePROGRAF printer!



iPF710

SPECIFICATIONS



Print-Head

PF-03

Technology

FINE (Photolithography Inkjet Nozzle Engineering)

Print Resolution (Max.)

2400 x 1200 dpi

Line Accuracy*

±0.1% or Less

Minimum Line Weight**

0.02mm

Number of Nozzles

Matte Black: 5,120 Nozzles
Other Colors: 2,560 Nozzles per Color

Droplet Size

4 Picoliter

Nozzle Pitch (Head Resolution)

1200 dpi x Two Rows

Print Head Swath

1.07 inch (27mm)

Ink Type

Dye

Cyan (C), Magenta (M), Yellow (Y), Black (K)

Pigment

Matte Black (MBK) – Two Channels

Ink Tank

PFI-102

Ink Tank Capacity***

130ml per Color

Number of Colors

5

Ink Supply Method

Tubing System

Nozzle Recovery System

Non-firing Nozzle Detection and Compensation

Printer Controller

L-COA Controller

Printer Memory

256MB

Media Feed

Front-loading Manual Feed, Rear-loading Roll Feed

Media Width

Roll Feed

10" – 36" (254mm – 914.4mm)

Cut Sheet

8" – 36" (203.2mm – 914.4mm)

Printable Margins

Roll Feed

All Sides: 0.12" (3mm) or 0" for Borderless

Minimum Printable Media Length

Roll Feed

8.0" (203mm)

Maximum Print Length†

Roll Feed

59' (18m)

Cut Sheet (Top)

5.2' (1.6m)

Borderless Printing Widths (Roll Media Only)

10", 14", 16", 24", 36",
B2 (20.28"/515mm), A1 (23.38"/594mm)
B1 (28.66"/728mm), AO(33.11"/841mm)

Media Cutter

Durable Rotary Blade

Media Thickness

Roll Feed

0.07 – 0.8mm (2.8 – 31.4mil)

Cut Sheet

0.07 – 0.8mm (2.8 – 31.4mil)

Media Core Sizes

2" or 3" Core (2/3" Core Adapter Included)

Maximum Roll Outer Diameter

5.9" (150mm)

Software

Printing Software

imagePROGRAF Printer Driver 2007, HDI Driver for AutoCAD®/AutoCAD LT 2000–2008,†† Printer Driver Extra Kit (Free Layout, imageRUNNER Linking Function)

Utilities

Media Configuration Tool

Applications

Digital Photo Front-Access, GARO Device Setup Utility, PosterArtist 2007 (optional)

Device Status

GARO Status Monitor, Remote UI

Printer Language

GARO (Canon Proprietary), HP-GL/2, HP RTL

Operating Systems*

Windows 2000/XP/Server 2003/Windows Vista
Macintosh OS 9/10 (PowerPC or Intel)

Interface

Standard (Built-in)

USB 2.0 Hi-Speed, 10/100Base-T/TX

Optional

IEEE1394 (FireWire)

Acoustic Noise

Operation

52dB (A) or Less

Standby

35dB (A) or Less

Acoustic Power

6.6 Bels or Less

Power Supply

AC 100–240V (50-60Hz)

Power Consumption

Maximum

140W or Less

Standby

5W or Less (10W or less
when IEEE1394 is mounted)

Power Off

1W or Less (Executive Order Compliant)

Certifications

UL®, FCC Class B, ENERGY STAR®

Operational Environment

Temperature

59 – 86 F° (15 – 30 C°)

Relative Humidity

10 – 80% (No Condensation)

Printer Dimensions (H x W x D)

59.3" x 34.3" x 43.1"
1507mm x 871mm x 1094mm

Weight (with Stand)

Approx. 141 lb.
64kg

Options

IEEE1394 Expansion Board (EB-05)
Roll Holder Set (RH2-32)
PosterArtist 2007

User Replaceable Items

Print-Head (PF-03)
Ink Tanks (PFI-102)
Maintenance Cartridge (MC-07)
Cutter Blade (CT-05)

What's In The Box

Printer, User Software CD (Printer Driver, HDI Driver, Utilities), Application CDs, 6 Starter Ink Tanks (MBK x 2, Cyan, Magenta, Yellow, Black), 2" Core Media Spool with 3" Adapter, Print-Head, Maintenance Cartridge, Media Cutter, Built-in Ethernet/USB 2.0 Interface, Quick Setup Guide (Poster), Printer Reference Guide (Booklet), Power Cord, One-Year Onsite Warranty, Registration Card, Stand, Basket, Hardware (For Setting Up the Stand)

* After user adjustment and under the same environmental conditions. Applies to media for line drawing only.

** Theoretical value based on data resolution.

*** The starter ink tanks initially packaged with the printer are not the same capacity as the replacement ink tanks specified here.

† The maximum printable length varies depending on the application, OS, and RIP used.

†† For AutoCAD or AutoCAD LT 2000/2000i/2002/2004/2005/2006/2007/2008

■ Windows 2000/XP and for Macintosh, Auto Layout, and imageRUNNER Linking Function

▲ For imagePROGRAF Printer Driver 2007. For printing from PostScript® applications such as Adobe® Illustrator® or QuarkXPress™, please use a PostScript compatible RIP package. For a list of Canon recommended RIP packages, please consult with Canon Alliance and Industry Market program list of RIP vendors.

iPF610

SPECIFICATIONS



Print-Head

PF-03

Technology

FINE (Photolithography Inkjet Nozzle Engineering)

Print Resolution (Max.)

2400 x 1200 dpi

Line Accuracy*

±0.1% or Less

Minimum Line Weight**

0.02mm

Number of Nozzles

Matte Black: 5,120 Nozzles
Other Colors: 2,560 Nozzles per Color

Droplet Size

4 Picoliter

Nozzle Pitch (Head Resolution)

1200 dpi x Two Rows

Print Head Swath

1.07 inch (27mm)

Ink Type

Dye

Cyan (C), Magenta (M), Yellow (Y), Black (K)

Pigment

Matte Black (MBK)

Ink Tank

PFI-102

Ink Tank Capacity***

130ml per Color

Number of Colors

5

Ink Supply Method

Tubing System

Nozzle Recovery System

Non-firing Nozzle Detection and Compensation

Printer Controller

L-COA Controller

Printer Memory

256MB

Media Feed

Top-loading Manual Feed, Front-loading Manual Feed,
Cassette, Rear-loading Roll Feed

Media Width

Roll Feed, Manual Feed

8" – 24" (203mm – 610mm)

Cassette

8" – 17" (203mm – 432mm)

Printable Margins

Roll Feed

All Sides: 0.12" (3mm) or 0" for Borderless

Cassette

All Sides: 0.12" (3mm)

Manual Feed

Left, Right, Trailing: 0.12" (3mm),
Leading: 0.90" (23mm) or 0.12" (3mm)

Minimum Printable Media Length

Roll Feed

8.0" (203mm)

Cassette

11.0" (279mm)

Top-Loading Manual Feed

11.0" (279mm)

Front-Loading Manual Feed

20.5" (520mm)

Maximum Print Length¹

Roll Feed

59' (18m)

Cassette

23.4" (594mm)

Manual Feed (Top)

5.2' (1.6m)

Manual Feed (Front)

36.0" (914mm)

Cassette Capacity (Plain Paper)

250 Sheets (Letter/A4)
100 Sheets (up to 13" x 19"/A3+)
50 Sheets (up to 17" x 22"/432mm x 559mm)

Borderless Printing Widths (Roll Media Only)

10", 13", 14", 16", 17", 24", B4 (10.12"/257mm),
A2 (16.54"/420mm), B2 (20.28"/515mm),
A1 (23.38"/594mm)

Media Cutter

Durable Rotary Blade

Media Thickness

Cassette

0.08 – 0.3mm (3.2 – 11.8mil)

Top-Loading Manual Feed

0.07 – 0.8mm (2.8 – 31.4mil)

Front-Loading Manual Feed

0.5 – 1.5mm (19.6 – 59.0mil)

Roll Feed

0.07 – 0.8mm (2.8 – 31.4mil)

Media Core Sizes

2" or 3" Core (2/3" Core Adapter Included)

Maximum Roll Outer Diameter

5.9" (150mm)

Software

Printing Software

imagePROGRAF Printer Driver 2007, HDI Driver for
AutoCAD/AutoCAD, LT 2000-2008;^{††} Printer Driver
Extra Kit (Free Layout, imageRUNNER Linking Function)

Utilities

Media Configuration Tool

Applications

Digital Photo Front-Access, GARO Device Setup Utility,
PosterArtist 2007 (optional)

Device Status

GARO Status Monitor, Remote UI

Printer Language

GARO (Canon Proprietary), HP-GL/2, HP RTL

Operating Systems⁴

Windows® 2000/XP/Server 2003/Windows Vista
Macintosh® OS 9/10 (PowerPC or Intel)

Interface

Standard (Built-in)

USB 2.0 Hi-Speed, 10/100Base-T/TX

Optional

IEEE1394 (FireWire®)

Acoustic Noise

Operation

52dB (A) or Less

Standby

35dB (A) or Less

Acoustic Power

6.6 Bels or Less

Power Supply

AC 100-120V (50-60Hz)

Power Consumption

Maximum

100W or Less

Standby

5W or Less (10W or less when IEEE1394 is mounted)

Power Off

1W or Less (Executive Order Compliant)

Certifications

UL®, FCC Class B, ENERGY STAR®

Operational Environment

Temperature

59 – 86 F° (15 – 30 C°)

Relative Humidity

10 – 80% (No Condensation)

Dimensions (H x W x D)

39.3" x 39" x 38.4"
(997mm x 991mm x 989mm)

Weight (with Stand)

Approx. 149.9 lb. (68kg)

Options

IEEE1394 Expansion Board (EB-05)
Roll Holder Set (RH2-24)
PosterArtist 2007

User Replaceable Items

Print-Head (PF-03)
Ink Tanks (PFI-102)
Maintenance Cartridge (MC-16)

What's In The Box

Printer, User Software CD (Printer Driver, HDI Driver,
Utilities), Application CDs, 6 Starter Ink Tanks (MBK x 2,
Cyan, Magenta, Yellow, Black), 2" Core Media Spool
with 3" Adapter, Print-Head, Maintenance Cartridge,
Media Cutter, Built-in Ethernet/USB 2.0 Interface, Quick
Setup Guide (Poster), Printer Reference Guide (Booklet),
Power Cord, One-Year Onsite Warranty, Registration
Card, Stand, Basket, Hardware (For Setting Up the
Stand)

* After user adjustment and under the same
environmental conditions. Applies to media for
line drawing only.

** Theoretical value based on data resolution

*** The starter ink tanks initially packaged with the printer
are not the same capacity as the replacement ink
tanks specified here.

† The maximum printable length varies depending on
the application, OS, and RIP used.

†† For AutoCAD or AutoCAD LT 2000/2000i/2002/2004/
2005/2006/2007/2008

▪ Windows 2000/XP/2003 Server and for Macintosh,
Auto Layout, and imageRUNNER Linking Function

▲ For imagePROGRAF Printer Driver 2007. For printing
from PostScript® applications such as Adobe Illustrator®
or QuarkXPress™, please use a PostScript compatible
RIP package. For a list of Canon recommended RIP
packages, please consult with Canon Alliance and
Industry Market program list of RIP vendors.

Canon
*image*ANYWARE

www.canonlatinamerica.com

Canon Latin America, Inc.
703 Waterford Way
Suite 400
Miami, FL 33126

As an ENERGY STAR® Partner, Canon U.S.A., Inc. has determined that these products meet the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Adobe, Photoshop, PostScript, and Illustrator are registered trademarks of Adobe Systems Incorporated in the United States and/or other countries. AutoCAD is a trademark of Autodesk, Inc. in the United States. Macintosh is a registered trademark of Apple Computer, Inc. Windows and Windows Vista are registered trademarks of Microsoft Corporation in the United States and/or other countries. UL is a registered trademark of Underwriters Laboratories Inc. QuarkXPress is a trademark of Quark, Inc. and all applicable affiliated companies, Reg. U.S. Pat. and Tm. Off. and in many other countries. Intel and Pentium are registered trademarks of Intel Corporation or its subsidiaries in the United States and/or other countries. CANON, IMAGEPROGRAF, and IMAGERUNNER are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. IMAGEANYWARE is a trademark of Canon. All referenced product names and other marks are trademarks of their respective owners. Specifications and availability subject to change without notice.

©2007 Canon Latin America, Inc. All rights reserved.

0119W060

