Canon

imageCLASS

M F 2 4 9 d w / M F 2 4 4 d w

Multifunction, Wireless, Duplex, Laser Printers

REVOLUTIONIZE TODAY'S WORKSPACE

- All-in-one functionality allows you to print, scan, copy, and fax (MF249dw only) with ease.
- Easily connect your compatible mobile devices without a router using Wi-Fi® Direct Connection.*
- Print at speeds of up to 28 pages per minute,**
 (Letter) and up to 27 pages per minute**(A4) with your first print in your hands in 6 seconds or less.***
- Print on-the-go with Canon PRINT Business,[†] Apple[®]
 AirPrint[®],^{††} Mopria[™] Print Service,^{†††} and Google
 Cloud Print[™],[†]
- Navigate through all the features with the userfriendly, tiltable, black-and-white touch LCD panel. (MF249dw only)
- Supports host-based UFR II LT, PCL (5e, 6) languages to provide printing versatility.
- Eco-conscious, all mode, two-sided printing out of the box helps save paper and related cost.
- Paper capacity allows for 250 sheets in the standard cassette and one sheet in the multipurpose tray.**
- Low energy consumption; uses approximately 2 W in wireless, Energy Saver Mode.













ADVANCED TECHNOLOGIES FOR YOUR OFFICE

Print On-The-Go

Print a variety of file types, Web pages, and images on-the-go with Canon PRINT Business,† Apple AirPrint,††

Mopria Print Service,††† and Google Cloud Print* using your compatible mobile device. You can also scan hard-copy originals using Canon PRINT Business. For more information on Canon supported apps and compatibility, please visit http://www.cla.canon.com/cla/en/office/MobileApps.









Service and Support

At its foundation, Canon has an uncompromising dedication to product reliability, service, and support. From cutting-edge technology to industry-leading response times, Canon takes pride in delivering complete customer satisfaction.

GENUINE Toner

Canon's GENUINE toner is designed to help improve image processing and precise character printing as well as overall image quality. The Single-Cartridge System combines the toner and drum into the same unit, which means you only have one consumable to replace. Designed by Canon engineers and manufactured in Canon facilities, GENUINE supplies are developed using precise specifications, so you can be confident that your Canon device will produce high-quality results consistently. The MF240 Series offers standard Cartridge 137 Black (2,400-page yield).

Environmentally Conscious

Help decrease power consumption and energy costs with Canon's efficient Energy Saver mode. In this mode, the MF240 Series uses approximately 2 W of energy and meets ENERGY STAR® guidelines.

Generation Green

The MF240 Series is part of Canon's Generation Green Program, which highlights the company's commitment to sustainability.

Touch LCD Panel (MF249dw only)

The intuitive, tiltable touch LCD panel allows you to easily navigate through the menu. The wide-screen display is user friendly, helping you to complete tasks more quickly.



MF249dw

^{*}Wi-Fi® is a registered trademark of the Wi-Fi Alliance®. The Wi-Fi CERTIFIED™ Logo is a certification mark of the Wi-Fi Alliance®.

^{**} Print speed is based on internal testing, Print speed may vary depending on the number of copies selected as well as on the settings for size, type, and orientation of paper.

^{***} May vary depending on the output environment.

t Canon PRINT Business is a free app available on the App Store® and Google Play™ Store. For more information, including compatibility, please visit. http://www.cla.canon.com/cla/en/office/ MobileApps. Users of Canon Mobile Printing can simply update the app to use Canon PRINT Business; users who have installed Canon Mobile Scanning for Business should install Canon PRINT Business on their compatible device. After Canon PRINT Business is installed, users can re-register their Canon Mobile Scanning for Business device list and local documents.

 $^{^{\}rm th}$ Apple AirPrint functionality requires an iPad, iPad Mini, iPad 2, the new iPad, iPhone 3GS or later, or iPod touch 3rd generation or later device running iOS 7.0 - 8.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base Station, or Time Capsule is not supported.

^{***} Mopria Print Service, available free at the Google Play Store, requires a compatible Android 4.0 - 5.0 smartphone or tablet. The printer must be either wirelessly connected to the network router or with an Ethernet cable. The mobile device and printermust be connected to the same network.

[◆] Google Cloud Print requires an Internet connection and Google Account Printer firmware update may be necessary for Google Cloud Print™ function. Certain exceptions may apply. A PC running Windows® XP or later or a Mac® running OS 10.4.11 or later and USB cable are required to perform firmware update.

^{◆◆} Based on 20 lb. Bond paper.

FEATURES	imageCLASS MF249dw	imageCLASS MF244dw
Franchisco	BASIC SPECIFICATIONS	
Functions	Print/Scan/Copy/Fax/PC Fax MF229dw	Print/Scan/Copy NEW
Replaces	2.2.7	
Print Speeds (default print mode: 2-sided)	Letter: Up to 28 ppm** (1-Sided, Plain Paper) 16 ppm** (2-Sided, Plain Paper) A4: Up tp 27 ppm** (1-Sided, Plain Paper) 15 ppm** (2-Sided, Plain Paper)	
Connectivity	USB Device 2.0 Hi-Speed, 10/100/Base-T Ethernet (Network), Wi-Fi 802.11 b/g/n•	
connectivity		
Operating Systems	Windows® 10/8.1/8/7, WindowsVista®, Windows Server® 2012 R2/2012/2008 R2/2008/2003 R2/2003; Mac OS Drivers Available For Download From www.cla.canon.com	
		.c.a.canon.com
Standard Cassette	PAPER HANDLING	
	Up to 250-Sheets, ⁶⁶⁰ 16 to 43 lb. Bond; Letter, Legal, Statement, Executive	
Multipurpose Tray	1 Sheet;*** 16 to 43 lb. Bond; Letter, Legal, Sta	
Automatic Document Feeder	Up to 50 Sheets Duplex ADF	Up to 35 Sheets ADF
Output Tray	100 Sheets (Face-down)	D /C /C
Ouplex	Print/Scan/Copy/Fax	Print/Scan/Copy
Monthly Duty Cycle	Up to 15,000 Pages	
MPV (Recommended Monthly Print Volume)	750-3,000 Pages	
ecurity	IP/MAC address filtering, IEEE802.1x, SNMPv3, HTTPS/IPPS	
	PRINTER SPECIFICATIONS	
irst-Print Time	6 Seconds or Less (Letter)***	
rinter Language	UFR II LT (Host-Based), PCL	
rint Resolution	Up to 600 x 600 dpi	
rint Features	Watermark, Page Composer, Toner Saver	
rint Memory	512 MB (Shared)	
lobile Print	Canon PRINT Business, [†] Apple [®] AirPrint [®] , ^{††} Mopria™ Print Service, ^{†††} Google Cloud Print™	
	Callott PKINT Business, Apple Air Fill , "Mobile Phile Service," Google Cloud Fill Copier Specifications	
irst-Copy Time	9 Seconds or Less (Letter)•••	
opy Resolution	Up to 600 x 600 dpi	
alftones	256 Levels	
laximum Number of Copies	Up to 999 Copies	
opy Features	Zoom 25%-400%, 2-on-1, 4-on-1, ID Card Copy, Memory Sort	
Copy Memory	512 MB (Shared)	
	SCANNER SPECIFICATIONS Color Contact Image Sensor (CIS); 24-bit Color Depth; TWAIN/WIA/ICA Compatible	
ican Type	3	
can Speed	Black/Color: Approx. 23/15 Seconds Per Sheet (DADF)*	Black/Color: Approx. 21/15 Seconds Per Sheet (AD
can Resolution	Up to 600 x 600 dpi (Optica	•
Output File Formats	TIFF, JPEG, PDF, Compact PDF NA	
ican Features	Push (Scan-to-PC) and Pull Scan	
ican-to-E-mail	Yes	NA
can-to-SMB	Yes	NA
	FAX SPECIFICATIONS	
Nodem Speed	Up to 33.6 Kbps (Super G3)**	
ax Resolution	Up to 200 x 400 dpi (Super Fine)	
ax Memory	Up to 256 Sheets···	
peed Dialing	4 One-Touch Speed Dials (Favorites); Up to 100 Coded Dials	
iroup Dialing	Up to 103 Destinations	NA
equential Broadcasting	Up to 114 Destinations	
	- P	
	Yes (TX only)	
	Yes (TX only) Fax-Forwarding Dual Access Remote Recention PC Fax (TX only) Distinctive	
PC Fax	Yes (TX only) Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/	
C Fax	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive	
C Fax	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/	NS
C Fax	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/ Result Management Reports	VS 15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm)
C Fax ax Features Dimensions (W x D x H)	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/ Result Management Reports GENERAL SPECIFICATION	
C Fax ax Features imensions (W x D x H) Veight (without/with cartridge)	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm)	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm)
C Fax ax Features imensions (W x D x H) Veight (without/with cartridge)	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm) 28.9/30.2 lb. (13.1 kg/13.6 kg)	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm) 26.7/28 lb. (12.1 kg/12.7 kg)
C Fax ax Features imensions (W x D x H) Jeight (without/with cartridge) ackage Weight	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm) 28.9/30.2 lb. (13.1 kg/13.6 kg) 37.5 lb. (17 kg)	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm) 26.7/28 lb. (12.1 kg/12.7 kg)
C Fax ax Features bimensions (W x D x H) Veight (without/with cartridge) ackage Weight	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/ Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm) 28.9/30.2 lb. (13.1 kg/ 13.6 kg) 37.5 lb. (17 kg) ENVIRONMENTAL SPECIFICA	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm) 26.7/28 lb. (12.1 kg/12.7 kg)
C Fax ax Features bimensions (W x D x H) Veight (without/with cartridge) ackage Weight	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm) 28.9/30.2 lb. (13.1 kg/13.6 kg) 37.5 lb. (17 kg) ENVIRONMENTAL SPECIFICA 0.9 kWh 120V: Operation: 480 W; Standby: 5.6 W Energy Saver: 1.2 W (USB), 1.3 W (Wired),	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm) 26.7/28 lb. (12.1 kg/12.7 kg) TIONS Operation: 480 W; Standby: 4.1 W Energy Saver: 1.2 W (USB), 1.3 W (Wired),
C Fax ax Features imensions (W x D x H) leight (without/with cartridge) ackage Weight ypical Energy Consumption (TEC)	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm) 28.9/30.2 lb. (13.1 kg/13.6 kg) 37.5 lb. (17 kg) ENVIRONMENTAL SPECIFICATION 120V: Operation: 480 W; Standby: 5.6 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless)	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm) 26.7/28 lb. (12.1 kg/12.7 kg) TIONS Operation: 480 W; Standby: 4.1 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless)
inc Fax incomplete Fax incom	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm) 28.9/30.2 lb. (13.1 kg/ 13.6 kg) 37.5 lb. (17 kg) ENVIRONMENTAL SPECIFICATION 0.9 kWh 120V: Operation: 480 W; Standby: 5.6 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 5.7 W	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm) 26.7/28 lb. (12.1 kg/12.7 kg) TIONS Operation: 480 W; Standby: 4.1 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 4.1 W
PC Fax Fax Features Dimensions (W x D x H) Veight (without/with cartridge) Package Weight Sypical Energy Consumption (TEC)	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm) 28.9/30.2 lb. (13.1 kg/ 13.6 kg) 37.5 lb. (17 kg) ENVIRONMENTAL SPECIFICA 0.9 kWh 120V: Operation: 480 W; Standby: 5.6 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 5.7 W Energy Saver: 1.3 W (USB), 1.4 W (Wired),	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm) 26.7/28 lb. (12.1 kg/12.7 kg) TIONS Operation: 480 W; Standby: 4.1 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 4.1 W Energy Saver: 1.3 W (USB), 1.4 W (Wired),
PC Fax Fax Features Dimensions (W x D x H) Neight (without/with cartridge) Package Weight Typical Energy Consumption (TEC)	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm) 28.9/30.2 lb. (13.1 kg/ 13.6 kg) 37.5 lb. (17 kg) ENVIRONMENTAL SPECIFICATION 0.9 kWh 120V: Operation: 480 W; Standby: 5.6 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 5.7 W	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm) 26.7/28 lb. (12.1 kg/12.7 kg) TIONS Operation: 480 W: Standby: 4.1 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W: Standby: 4.1 W
PC Fax Fax Features Dimensions (W x D x H) Weight (without/with cartridge) Package Weight Typical Energy Consumption (TEC)	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm) 28.9/30.2 lb. (13.1 kg/ 13.6 kg) 37.5 lb. (17 kg) ENVIRONMENTAL SPECIFICA 0.9 kWh 120V: Operation: 480 W; Standby: 5.6 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 5.7 W Energy Saver: 1.3 W (USB), 1.4 W (Wired),	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm) 26.7/28 lb. (12.1 kg/12.7 kg) TIONS Operation: 480 W; Standby: 4.1 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 4.1 W Energy Saver: 1.3 W (USB), 1.4 W (Wired),
PC Fax Fax Features Dimensions (W x D x H) Veight (without/with cartridge) Package Weight Sypical Energy Consumption (TEC)	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/ Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm) 28.9/30.2 lb. (13.1 kg/ 13.6 kg) 37.5 lb. (17 kg) ENVIRONMENTAL SPECIFICATION 0.9 kWh 120V: Operation: 480 W; Standby: 5.6 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 5.7 W Energy Saver: 1.3 W (USB), 1.4 W (Wired), 2.1 W (Wireless) Operation: 51 dB (Sound Pressure); 66 dB (Sound Power), Standby: Inaudible (Sound	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm) 26.7/28 lb. (12.1 kg/12.7 kg) TIONS Operation: 480 W: Standby: 4.1 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W: Standby: 4.1 W Energy Saver: 1.3 W (USB), 1.4 W (Wired), 2.1 W (Wireless) Operation: 52 dB (Sound Pressure); 66 dB (Sound Power). Standby: Inaudible (Sound
iax Features Jimensions (W x D x H) Veight (without/with cartridge) Jackage Weight Sypical Energy Consumption (TEC)	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/ Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm) 28.9/30.2 lb. (13.1 kg/ 13.6 kg) 37.5 lb. (17 kg) ENVIRONMENTAL SPECIFICATION 0.9 kWh 120V: Operation: 480 W; Standby: 5.6 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 5.7 W Energy Saver: 1.3 W (USB), 1.4 W (Wired), 2.1 W (Wireless) Operation: 51 dB (Sound Pressure); 66 dB (Sound Power), Standby: Inaudible (Sound Pressure); 43 dB or Less (Sound Power)	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm) 26.7/28 lb. (12.1 kg/12.7 kg) TIONS Operation: 480 W; Standby: 4.1 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 4.1 W Energy Saver: 1.3 W (USB), 1.4 W (Wired), 2.1 W (Wireless) Operation: 52 dB (Sound Pressure);
PC Fax Fax Features Dimensions (W x D x H) Veight (without/with cartridge) Package Weight Proposed Energy Consumption (TEC) Power Consumption	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/ Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm) 28.9/30.2 lb. (13.1 kg/ 13.6 kg) 37.5 lb. (17 kg) ENVIRONMENTAL SPECIFICATION 0.9 kWh 120V: Operation: 480 W; Standby: 5.6 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 5.7 W Energy Saver: 1.3 W (USB), 1.4 W (Wired), 2.1 W (Wireless) Operation: 51 dB (Sound Pressure); 66 dB (Sound Power), Standby: Inaudible (Sound	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm) 26.7/28 lb. (12.1 kg/12.7 kg) TIONS Operation: 480 W; Standby: 4.1 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 4.1 W Energy Saver: 1.3 W (USB), 1.4 W (Wired), 2.1 W (Wireless) Operation: 52 dB (Sound Pressure); 66 dB (Sound Power). Standby: Inaudible (Sound
PC Fax Fax Features Dimensions (W x D x H) Veight (without/with cartridge) Package Weight Typical Energy Consumption (TEC)	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode, Auto Redial, Fax Activity/ Result Management Reports GENERAL SPECIFICATION 15.4" x 14.9" x 14.2" (39.1 cm x 37.8 cm x 36 cm) 28.9/30.2 lb. (13.1 kg/ 13.6 kg) 37.5 lb. (17 kg) ENVIRONMENTAL SPECIFICATION 0.9 kWh 120V: Operation: 480 W; Standby: 5.6 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 5.7 W Energy Saver: 1.3 W (USB), 1.4 W (Wired), 2.1 W (Wireless) Operation: 51 dB (Sound Pressure); 66 dB (Sound Power), Standby: Inaudible (Sound Pressure); 43 dB or Less (Sound Power)	15.4" x 14.6" x 14.2" (39.1 cm x 37 x 36 cm) 26.7/28 lb. (12.1 kg/12.7 kg) TIONS Operation: 480 W; Standby: 4.1 W Energy Saver: 1.2 W (USB), 1.3 W (Wired), 2 W (Wireless) 230V: Operation: 490 W; Standby: 4.1 W Energy Saver: 1.3 W (USB), 1.4 W (Wired), 2.1 W (Wireless) Operation: 52 dB (Sound Pressure); 66 dB (Sound Power). Standby: Inaudible (Sound

- ** Print speed is based on internal testing. Print speed may vary depending on the number of copies selected as well as on the settings for size, type, and orientation of paper.
- *** May vary depending on the output environment.
- Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain/distance between printer and wireless network clients.
- ■■■ Letter-sized, after being restored from Energy Saver mode.
- † Canon PRINT Business is a free app available on the App Store- and Google Play* Store. For more information, including compatibility, please visit http://www.cla.canon.com/cla/en/office/MobileApps. Users of Canon Mobile Printing can simply update the app to use Canon PRINT Business, users who have installed Canon Mobile Scanning for Business should install Canon PRINT Business on their compatible device. After Canon PRINT Business is installed, users can re-register their Canon Mobile Scanning for Business device list and local documents.
- ¹⁷ Apple AirPrint functionality requires an iPad, iPad Mini, iPad 2, the new iPad, iPhone 3GS or later, or iPod touch 3rd generation or later device running iOS 7.0 - 8.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base Station, or Time Capsule is not supported.
- *** Mopria Print Service, available free at the Google Play Store, requires a compatible Android 4.0 5.0 smartphone or tablet. The printer must be either wirelessly connected to the network router or with an Ethernet cable. The mobile device and printer must be connected to the same network.
- Google Cloud Print requires an Internet connection and Google Account. Printer firmware update may be necessary for Google Cloud Print* function. Certain exceptions may apply. A PC running Windows XP or later or a Mac running OS 10.4.11 or later and USB cable are required to perform firmware update.
- 000 Based on 20 lb. Bond paper.
- Based on Letter-sized scanning at 300 \times 300 dpi.
- The Public Switched Telephone Network currently supports fax modern speeds of 28.8 Kbps or lower, depending on telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v34 guidelines.
- ••• Based on ITU-T #1 Chart (standard mode).
- Based 01110-1 #1 Chair (standard mode).
 Declared noise emission in accordance with ISO 9296.

imageCLASS MF249dw/ MF244dw

50-Sheet Duplex Automatic Document Feeder



Easy, Front-Loading Single-Cartridge System



Standard 250-Sheet Cassette



Tiltable Touch LCD Panel



One-Sheet Multipurpose Tray



imageCLASS MF240 Series and Accessories

imageCLASS MF249dw 120V	1418C006
imageCLASS MF249dw 230V	1418C003
imageCLASS MF244dw 120V	1418C021
imageCLASS MF244dw 230V	1418C018
Cartridge 137: Full-Yield; 2,400 Sheets ISO/IEC	9435B001

MF249dw

Canon

Canon U.S.A.-Latin America Group One Canon Park Melville, NY 11747 U.S.A.

WWW.CLA.CANON.COM

As an ENERGY STAR partner, Canon U.S.A., Inc. has certified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Android is a trademark of Google Inc. App Store is a service mark of Apple Inc. iPhone, iPad Air, iPad, iPad mini, AirPrint and AirPrint logo, are trademarks of Apple Inc., registered in the U.S. and other countries: iOS is a trademark or registered trademark of Cisco in the United States and other countries and is used under license. Canon, imageCLASS, GENUINE, and the Super G3 logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for typographical errors.



















